Printing date 10/07/2015 Reviewed on 10/07/2015

1 Identification

- · Product identifier
- · Trade name: Advance Solvent Seal 25%
- · Article number: 83-143451
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Advance Concrete Forms, Inc.

5102 Pflaum Road

Madison, WI. 53718

Tel.:(608) 222-8684

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapor.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways. Asp. Tox. 1 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Stoddard solvent

Solvent naphtha (petroleum), light arom.

Naphtha (petroleum), hydrodesulfurized heavy

· Hazard statements

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause genetic defects.

May cause cancer.

Causes damage to the central nervous system through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 10/07/2015 Reviewed on 10/07/2015

Trade name: Advance Solvent Seal 25%

(Contd. of page 1)

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

If swallowed: Immediately call a poison center/doctor.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
8052-41-3	Stoddard solvent	25-50%
64742-95-6	Solvent naphtha (petroleum), light arom.	10-25%
95-63-6	1,2,4-trimethylbenzene	10-25%
64742-82-1	Naphtha (petroleum), hydrodesulfurized heavy	≤5%
1330-20-7	xylene	≤ 2.5%
98-82-8	cumene	≤1%
100-41-4	ethylbenzene	≤1%

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Seek medical treatment.

(Contd. on page 3)

Printing date 10/07/2015 Reviewed on 10/07/2015

Trade name: Advance Solvent Seal 25%

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Foam

- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Printing date 10/07/2015 Reviewed on 10/07/2015

Trade name: Advance Solvent Seal 25%

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

8052-41-3 Stoddard solvent

PEL Long-term value: 2900 mg/m³, 500 ppm

REL Long-term value: 350 mg/m³
Ceiling limit value: 1800* mg/m³

*15-min

TLV Long-term value: 525 mg/m³, 100 ppm

95-63-6 1,2,4-trimethylbenzene

REL Long-term value: 125 mg/m³, 25 ppm

TLV Long-term value: 123 mg/m³, 25 ppm

1330-20-7 xylene

PEL Long-term value: 435 mg/m³, 100 ppm

REL Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm

TLV Short-term value: 651 mg/m³, 150 ppm Long-term value: 434 mg/m³, 100 ppm

BEI

· Ingredients with biological limit values:

1330-20-7 xylene

BEI 1.5 g/g creatinine

Medium: urine Time: end of shift

Parameter: Methylhippuric acids

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Printing date 10/07/2015 Reviewed on 10/07/2015

Trade name: Advance Solvent Seal 25%

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Eye protection: Wear appropriate eye protection to prevent eye contact.

Physical and chemical proper	ties
· Information on basic physical and o	chemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	138 °C (280 °F)
· Flash point:	41 °C (106 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	230 °C (446 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures a possible.
· Explosion limits:	
Lower:	0.7 Vol %
Upper:	7.5 Vol %
· Vapor pressure at 20 °C (68 °F):	5 hPa (4 mm Hg)
· Density at 20 °C (68 °F):	$0.88798 \ g/cm^3 (7.41 \ lbs/gal)$
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	39.9 %
Solids content:	24.9 %
· Other information	No further relevant information available.

Printing date 10/07/2015 Reviewed on 10/07/2015

Trade name: Advance Solvent Seal 25%

(Contd. of page 5)

· Volatile Organic Compounds: Contains less than 700 g/L.

10 Stability and reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· Acute toxio	cuy.		
· LD/LC50 values that are relevant for classification:			
64742-95-6 Solvent naphtha (petroleum), light arom.			
Oral	LD50	>6800 mg/kg (rat)	
Dermal	LD50	>3400 mg/kg (rab)	
Inhalative	LC50/4 h	>10.2 mg/l (rat)	
95-63-6 1,2,4-trimethylbenzene			
Oral	LD50	5000 mg/kg (rat)	

- · Primary irritant effect:
- · on the skin: May cause skin irritation.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Carcinogenic.

The product can cause inheritable damage.

· Carcinogenic categories

Carcinoge	nic categories		
· IARC (Inte	ernational Agency for Research on Cancer)		
1330-20-7	xylene	3	
98-82-8	cumene	2 <i>B</i>	
100-41-4	ethylbenzene	2 <i>B</i>	
91-20-3	naphthalene	28	
· NTP (Nati	onal Toxicology Program)		
98-82-8 cı	8 cumene		
91-20-3 no	aphthalene	R	
· OSHA-Ca	(Occupational Safety & Health Administration)		
None of the	e ingredients is listed.		

Printing date 10/07/2015 Reviewed on 10/07/2015

Trade name: Advance Solvent Seal 25%

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Water hazard class 1 (Self-assessment): slightly hazardous for water

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to Federal, State, and Local regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN1268

- · UN proper shipping name
- $\cdot DOT$
- $\cdot ADR$

· IMDG, IATA

Petroleum distillates, n.o.s. 1268 Petroleum distillates, n.o.s. PETROLEUM DISTILLATES, N.O.S.

- · Transport hazard class(es)
- $\cdot DOT$



· Class 3 Flammable liquids

(Contd. on page 8)

Printing date 10/07/2015 Reviewed on 10/07/2015

Trade name: Advance Solvent Seal 25%

	(Contd. of page
Label	3
· ADR, IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
· EMS Number:	F-E,S-E
Transport in bulk according to Annex II of MARPOL73 and the IBC Code	3/78 Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
· U.S. Domestic Ground Shipments:	Maximum net quantity per outer packaging: 1000 ml Combustible liquids, n.o.s. (Petroleum Distillates), NA199. PG III
U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	DOT: Not regulated (Reclassified as per 49CFR 173.150).
Emergency Response Guide (ERG) Number:	Not determine
· IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN1268, Petroleum distillates, n.o.s., 3, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

95-63-6 1,2,4-trimethylbenzene

10-25%

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/07/2015 Reviewed on 10/07/2015

Trade name: Advance Solvent Seal 25%

330-20-7 xylene			a. or page
100-41-4 ethylbenzene	1330-20-7		<i>≤</i> 2.5%
91-20-3 naphthalene \$<0.19\$ TSCA (Toxic Substances Control Act): All ingredients are listed. Proposition 5 Chemicals known to the State of California (Prop. 65) to cause cancer: 64742-95-6 Solvent naphtha (petroleum), light arom. 98-82-8 cumene 100-41-4 ethylbenzene 91-20-3 naphthalene Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 130-20-7 xylene D 91-20-3 naphthalene TLV (Threshold Limit Value established by ACGIH) 130-20-7 xylene D 100-41-4 ethylbenzene 2 100-41-4 ethylbenzene 2 1 1 1 1 1 1 1 1 1	98-82-8	cumene	<i>≤</i> 1%
TSCA (Toxic Substances Control Act): All ingredients are listed. Proposition 65 Chemicals known to the State of California (Prop. 65) to cause cancer: 64742-95-6 Solvent naphtha (petroleum), light arom. 98-82-8 cumene 100-11-4 ethylbenzene 91-20-3 naphthalene Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene	100-41-4	ethylbenzene	<i>≤</i> 1%
All ingredients are listed. Proposition 65 Chemicals known to the State of California (Prop. 65) to cause cancer: 64742-95-6 Solvent naphtha (petroleum), light arom. 98-82-8 cumene 100-41-4 ethylbenzene 91-20-3 naphthalene Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Clancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene I 98-82-8 cumene D, CE 100-41-4 ethylbenzene D 91-20-3 naphthalene C, CE TLV (Threshold Limit Value established by ACGIH) 1330-20-7 xylene I 100-41-4 ethylbenzene I	91-20-3	naphthalene	≤0.1%
Proposition 65 Chemicals known to the State of California (Prop. 65) to cause cancer: 64742-95-6 Solvent naphtha (petroleum), light arom. 98-82-8 cumene 100-41-4 ethylbenzene 91-20-3 naphthalene Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene I 98-82-8 cumene D, CE 100-41-4 ethylbenzene D 91-20-3 naphthalene C, CE TLV (Threshold Limit Value established by ACGIH) 1330-20-7 xylene I 1330-20-7 xylene I 1300-20-7 xylene I 1330-20-7 xylene I 1430-20-7 xylene I 1440-41-4 ethylbenzene I 1540-41-4 ethylbenzene I 1540-41-4 ethylbenzene I 1550-41-4 ethylbenzene I 1650-41-4 ethylbenzene I 1750-41-4 ethylbenzene I 1750-41-4 ethylbenzene I	· TSCA (To	xic Substances Control Act):	
Chemicals known to the State of California (Prop. 65) to cause cancer: 64742-95-6 Solvent naphtha (petroleum), light arom. 98-82-8 cumene 100-41-4 ethylbenzene 91-20-3 naphthalene Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene	All ingredi	ents are listed.	
64742-95-6 Solvent naphtha (petroleum), light arom. 98-82-8 cumene 100-41-4 ethylbenzene 91-20-3 naphthalene Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene	· Proposition	n 65	
98-82-8 cumene 100-41-4 ethylbenzene 91-20-3 naphthalene Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene	· Chemicals	known to the State of California (Prop. 65) to cause cancer:	
100-41-4 ethylbenzene 91-20-3 naphthalene Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene	64742-95-0	Solvent naphtha (petroleum), light arom.	
91-20-3 naphthalene	98-82-8	8 cumene	
Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene	100-41-4	4 ethylbenzene	
None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene	91-20	naphthalene	
Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene	· Chemicals	known to cause reproductive toxicity for females:	
None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene	None of the	e ingredients is listed.	
Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene	· Chemicals	known to cause reproductive toxicity for males:	
None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 1330-20-7 xylene I 98-82-8 cumene D, CB 100-41-4 ethylbenzene D 91-20-3 naphthalene C, CB • TLV (Threshold Limit Value established by ACGIH) 1330-20-7 xylene A 100-41-4 ethylbenzene A	None of the	e ingredients is listed.	
Cancerogenity categories EPA (Environmental Protection Agency) I 330-20-7 xylene D CE 100-41-4 ethylbenzene D 91-20-3 naphthalene C, CB 1330-20-7 xylene A 100-41-4 ethylbenzene 1	· Chemicals	known to cause developmental toxicity:	
EPA (Environmental Protection Agency) 1330-20-7 xylene I 98-82-8 cumene D, CB 100-41-4 ethylbenzene D 91-20-3 naphthalene C, CB **TLV (Threshold Limit Value established by ACGIH) I 1330-20-7 xylene A 100-41-4 ethylbenzene A	None of the	e ingredients is listed.	
EPA (Environmental Protection Agency) 1330-20-7 xylene I 98-82-8 cumene D, CB 100-41-4 ethylbenzene D 91-20-3 naphthalene C, CB **TLV (Threshold Limit Value established by ACGIH) I 1330-20-7 xylene A 100-41-4 ethylbenzene A	· Canceroge	nity categories	
1330-20-7 xylene I 98-82-8 cumene D, CB 100-41-4 ethylbenzene D 91-20-3 naphthalene C, CB TLV (Threshold Limit Value established by ACGIH) I 1330-20-7 xylene A 100-41-4 ethylbenzene A	· EPA (Envi	ronmental Protection Agency)	
100-41-4 ethylbenzene D 91-20-3 naphthalene C, CB TLV (Threshold Limit Value established by ACGIH) 1330-20-7 xylene A 100-41-4 ethylbenzene A	1330-20-7	xylene	I
91-20-3 naphthalene C, CB TLV (Threshold Limit Value established by ACGIH) 1330-20-7 xylene 100-41-4 ethylbenzene	98-82-8	cumene	D, CB
TLV (Threshold Limit Value established by ACGIH) 1330-20-7 xylene 100-41-4 ethylbenzene	100-41-4	ethylbenzene	D
1330-20-7 xylene A 100-41-4 ethylbenzene A	91-20-3	naphthalene	C, CB
100-41-4 ethylbenzene	· TLV (Thre	shold Limit Value established by ACGIH)	
·	1330-20-7	xylene	A
91-20-3 naphthalene	100-41-4	ethylbenzene	A
	91-20-3	naphthalene	A

· MAK (German Maximum Workplace Concentration)

100-41-4	ethylbenzene	<i>3A</i>
91-20-3	naphthalene	2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

2 GHS07 GHS08

- · Signal word Danger
- $\cdot \textit{Hazard-determining components of labeling:}$

Stoddard solvent

Printing date 10/07/2015 Reviewed on 10/07/2015

Trade name: Advance Solvent Seal 25%

(Contd. of page 9)

Solvent naphtha (petroleum), light arom.

Naphtha (petroleum), hydrodesulfurized heavy

· Hazard statements

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause genetic defects.

May cause cancer.

Causes damage to the central nervous system through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

If swallowed: Immediately call a poison center/doctor.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

- · Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The provided information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 10/07/2015 / 336
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Muta. 1B: Germ cell mutagenicity, Hazard Category 1B

Carc. 1B: Carcinogenicity, Hazard Category 1B

STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

(Contd. on page 11)

Printing date 10/07/2015 Reviewed on 10/07/2015

Trade name: Advance Solvent Seal 25%

(Contd. of page 10)

Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

LIS